

Suggested Reading - Guyana

General

- Bicknell, J. & Chin C. (2007) Aquarium fisheries as a non-timber forest product: experiences from conservation through community development in North Rupununi District, Guyana. *Conservation Evidence*. 4: 94-98.
- Bicknell, J., Patterson, M. & Tiwari, T. (2005) One year on... Community-based aquarium fisheries, Guyana. *OFI Journal*. 48: 26-28.
- Bicknell, J. (2004) Sustainable, community-based aquarium fishes in the North Rupununi, Guyana. *OFI Journal*. 44: 22-24.
- Donnelly, M. A., Chen, M. H. & Watkins, G. G. 2005. Sampling amphibians and reptiles in the Iwokrama Forest ecosystem. *Proceedings of the Academy of Natural Sciences of Philadelphia*. 154, 55-69.
- Lim, B.K. and M.D. Engstrom. 2001. Species diversity of bats (Mammalia: Chiroptera) in Iwokrama Forest, Guyana, and the Guianan subregion: implications for conservation. *Biodiversity and Conservation* 10: 613-657.
- Lim, B.K. and M.D. Engstrom. 2001. Bat community structure at Iwokrama Forest, Guyana. *Journal of Tropical Ecology* 17: 647-665.
- Lim, B. K. & Engstrom, M. D. 2005. Mammals of Iwokrama Forest. *Proceedings of the Academy of Natural Sciences of Philadelphia*. 154, 71-108.
- Mistry, J., Simpson, M., Berardi, A. & Sandy, Y. 2004. Exploring the links between natural resource use and biophysical status in the waterways of the North Rupununi, Guyana. *Journal of Environmental Management*. 72, 117-131.
- Mistry, J., Berardi, A. & Simpson, M. 2008. Birds as indicators of wetland status and change in the North Rupununi, Guyana. *Biodiversity and Conservation*. 17, 2383-2409.
- Mistry, J., Berardi, A., Simpson, M., Davis, O. & Haynes, L. 2010. Using a systems viability approach to evaluate integrated conservation and development projects: assessing the impact of the North Rupununi Adaptive Management Process, Guyana. *Geographical Journal*. 176, 241-252.
- Ridgely, R. S., Agro, D. & Joseph, L. 2005. Birds of Iwokrama Forest. *Proceedings of the Academy of Natural Sciences of Philadelphia*. 154, 109-121.
- Sussman, R. W. & Phillipsconroy, J. E. (1995) A survey of the distribution and density of the primates of Guyana. *International Journal of Primatology*. 16, 761-791.
- Watkins, G.G., Saul, W., Holm, E., Watson, C., Arjoon, D. & Bicknell, J. (2005) The fish fauna of the Iwokrama Forest. *Proceedings of the Academy of Natural Sciences of Philadelphia*. 154: 39-53.

Watkins, G., Oxford, P., & Bish, R. (2011) Rupununi: Rediscovering a lost world. *Earth in Focus Editions*.

Watkins, G. G. (2005) The Iwokrama Centre and forest: Introduction to special papers. *Proceedings of the Academy of Natural Sciences of Philadelphia*. 154, 1-5.

Can reduced-impact logging be used as a tool for biodiversity conservation in tropical forests?

Anjos, L. (2006) Bird species sensitivity in a fragmented landscape of the Atlantic forest in Southern Brazil. *Biotropica* 38: 229-234.

Azevedo-Ramos, C., de Carvalho, O. & do Amaral, B. D. (2006) Short-term effects of reduced-impact logging on eastern Amazon fauna. *Forest Ecol. Manage.* 232, 26-35.

Barlow, J., Peres, C. A., Henriques, L. M. P., Stouffer, P. C. & Wunderle, J. M. (2006) The responses of understory birds to forest fragmentation, logging and wildfires: An Amazonian synthesis. *Biol. Conser.* 128, 182-192.

Bicknell, J. & Peres, C.A. (2010) Vertebrate population responses to reduced-impact logging in a neotropical forest. *Forest Ecology and Management*. 259, 2267-2275.

Buckland, S.T., Anderson, D.R., Burnham, K.P., Laake, J.L., Borchers, D.L. & Thomas, L. (2001) *Introduction to Distance Sampling: Estimating the Abundance of Biological Populations*. Oxford University Press Inc. New York.

Castro-Arellano, I., Presleya, S. J., Saldanha, L. N., Willig, M. R. & Wunderle, J. M. (2007) Effects of reduced-impact logging on bat biodiversity in terra firme forest of lowland Amazonia. *Biological Conservation*. 138, 269-285.

Felton, A., Wood, J., Felton, A. M., Hennessey, B. & Lindenmayer, D. B. (2008) Bird community responses to reduced-impact logging in a certified forestry concession in lowland Bolivia. *Biological Conservation*. 141, 545-555.

Felton, A. M., Felton, A., Foley, W. J. & Lindenmayer, D. B. 2010. The role of timber tree species in the nutritional ecology of spider monkeys in a certified logging concession, Bolivia. *Forest Ecology and Management*. 259, 1642-1649.

Felton, A., Wood, J. T., Felton, A. M., Hennessey, B. A. & Lindenmayer, D. B. 2008. A comparison of bird communities in the anthropogenic and natural-tree fall gaps of a reduced-impact logged subtropical forest in Bolivia. *Bird Conservation International*. 18, 129-143.

Gray MA, Baldauf SL, Mayhew PJ & Hill JK (2007) The response of avian feeding guilds to tropical forest disturbance. *Conservation Biology* 21: 133-141.

Pinard, M. A. & Putz, F. E. 1996. Retaining forest biomass by reducing logging damage. *Biotropica*. 28, 278-295.

Presley, S. J., Willig, M. R., Wunderle, J. M. & Saldanha, L. N. 2008. Effects of reduced-impact logging and forest physiognomy on bat populations of lowland Amazonian forest. *Journal of Applied Ecology*. 45, 14-25.

ter Steege, H., Welch, I. & Zagt, R. (2002) Long-term effect of timber harvesting in the Bartica Triangle, Central Guyana. *Forest Ecology and Management*. 170, 127-144.

Vidal, E., Johns, J., Gerwing, J. J., Barreto, P. & Uhl, C. (1997) Vine management for reduced-impact logging in eastern Amazonia. *Forest Ecology and Management*. 98, 105-114.

Wunderle, J. M., Henriques, L. M. P. & Willig, M. R. (2006) Short-term responses of birds to reduced-impact logging in a lowland Amazon forest: Can reduced-impact methods help to retain avian biodiversity in tropical timber production forests? *J. Ornithol.* 147, 114-115.

The effect of selective logging on wildlife communities in Guiana Shield forests.

Anjos, L. (2006) Bird species sensitivity in a fragmented landscape of the Atlantic forest in Southern Brazil. *Biotropica* 38: 229-234.

Asner, G. P., Knapp, D.E., Broadbent, E.N., Oliveira, P.J.C., Keller, M., Silva, J.N. (2005) Selective logging in the Brazilian Amazon. *Science*. 310, 480-482.

Azevedo-Ramos, C., de Carvalho, O. & do Amaral, B. D. (2006) Short-term effects of reduced-impact logging on eastern Amazon fauna. *Forest Ecol. Manage.* 232, 26-35.

Barlow, J., Peres, C. A., Henriques, L. M. P., Stouffer, P. C. & Wunderle, J. M. (2006) The responses of understorey birds to forest fragmentation, logging and wildfires: An Amazonian synthesis. *Biol. Conser.* 128, 182-192.

Bicknell, J. & Peres, C.A. (2010) Vertebrate population responses to reduced-impact logging in a neotropical forest. *Forest Ecology and Management*. 259, 2267-2275.

Bierregaard, R.O., Lovejoy, T.E., Stouffer, P.c. & Strong, C. (2006) Long-term landscape change and bird abundance in Amazonian rainforest fragments. *Conservation Biology* 20: 1212-1223.

Buckland, S.T., Anderson, D.R., Burnham, K.P., Laake, J.L., Borchers, D.L. & Thomas, L. (2001) *Introduction to Distance Sampling: Estimating the Abundance of Biological Populations*. Oxford University Press Inc. New York.

Cuaron, A.D. 2000. A Global Perspective on Habitat Disturbance and Tropical Rainforest Mammals. *Conserv. Biol.* 14, 1574-1579.

Ernst, R., Konrad, T., Linsenmair, K. E. & Rodel, M. O. 2007. The impacts of selective logging on three sympatric species of *Leptodactylus* in a Central Guyana rainforest. *Amphibia-Reptilia*. 28, 51-64.

- Fimbel, R.A., Grajal, A. & Robinson, J.G. (Eds.) 2001. *The Cutting Edge*. Columbia University Press. New York.
- Gray MA, Baldauf SL, Mayhew PJ & Hill JK (2007) The response of avian feeding guilds to tropical forest disturbance. *Conservation Biology* 21: 133-141
- Grieser Johns, A. (1997) *Timber production and biodiversity conservation in tropical rain forests*. Cambridge University Press, Cambridge.
- Johns, J.S., Barreto, P. & Uhl, C. (1996) Logging damage during planned and unplanned logging operations in the eastern Amazon. *Forest Ecol. Manage.* 89, 59-77.
- Johns, A.D. (1988) Effects of "Selective" Timber Extraction on Rain Forest Structure and Composition and Some Consequences for Frugivores and Folivores. *Biotropica*. 20, 31-37.
- Lees, A.C. & Peres, C.A. (2006) Rapid avifaunal collapse along the Amazonian deforestation frontier. *Biological Conservation* 133: 198-211.
- ter Steege, H., Welch, I. & Zagt, R. 2002. Long-term effect of timber harvesting in the Bartica Triangle, Central Guyana. *Forest Ecology and Management*. 170, 127-144.
- Thiollay, J.M. (1997) Disturbance, selective logging and bird diversity: a Neotropical forest study. *Biodivers. Conserv.* 6, 1155-1173.
- Thiollay, J.M. (1992) Influence of Selective Logging on Bird Species Diversity in a Guianan Rain Forest. *Conserv. Biol.* 6, 47-63.
- Vasconcelos, H. L., Vilhena, J. M. S. & Caliri, G. J. A. 2000. Responses of ants to selective logging of a central Amazonian forest. *Journal of Applied Ecology*. 37, 508-514.
- Wunderle, J. M., Henriques, L. M. P. & Willig, M. R. 2006. Short-term responses of birds to reduced-impact logging in a lowland Amazon forest: Can reduced-impact methods help to retain avian biodiversity in tropical timber production forests? *J. Ornithol.* 147, 114-115.

The role of bats and birds in forest regeneration and maintaining forest biodiversity.

- Bierregaard, R.O., Lovejoy, T.E., Stouffer, P.c. & Strong, C. (2006) Long-term landscape change and bird abundance in Amazonian rainforest fragments. *Conservation Biology* 20: 1212-1223.
- Burhans, D.E., Root, B. & Thompson F.R. (2002) Effects of point count protocol on bird abundance and variability: Estimates and power to detect population trends. *Journal of Field Ornithology* 73: 141-150.
- Fabara, J., Jorgenson, J.P., Karubian, J., Romo, D., Smith, T.B. & Yunes, D. (2005) Temporal and spatial patterns of macaw abundance in the Ecuadorian Amazon. *The Condor* 107: 617-626.

Lim, B. K., Engstrom, M. D., Patton, J. C. & Bickham, J. W. (2008) Systematic review of small fruit-eating bats (*Artibeus*) from the Guianas, and a re-evaluation of *A. glaucus bogotensis*. *Acta Chiropterologica*. 10, 243-256.

Thiollay, J. M. 1999. Responses of an avian community to rain forest degradation. *Biodiversity and Conservation*. 8, 513-534.

The role of large mammals in forest regeneration and maintaining forest biodiversity.

Buckland, S.T., Anderson, D.R., Burnham, K.P., Laake, J.L., Borchers, D.L. & Thomas, L. (2001) *Introduction to Distance Sampling: Estimating the Abundance of Biological Populations*. Oxford University Press Inc. New York.

Chapman, C.A. & Onderdonk, D.A. (1998) Forests without primates: Primate/plant codependency. *American Journal of Primatology* 45: 127-141.

Haugaasen, T. & Peres, C.A. (2008) Associations between primates and other mammals in a central Amazonian forest landscape. *Primates* 49: 219-222

Haugaasen, T. & Peres, C.A. (2007) Vertebrate responses to fruit production in Amazonian flooded and unflooded forests. *Biodiversity and Conservation* 16: 4165-4190.

Haugaasen, T. & Peres, C.A. (2005) Primate assemblage structure in Amazonian flooded and unflooded forests. *American Journal of Primatology* 67: 243-258

Haugaasen, T. & Peres, C.A. (2004) Mammal assemblage structure in Amazonian flooded and unflooded Forests. *Journal of Tropical Ecology* 21: 133-145.

Henry, O. 1999. Frugivory and the Importance of Seeds in the Diet of the Orange-Rumped Agouti (*Dasyprocta leporina*) in French Guiana. *Journal of Tropical Ecology*. 15, 291-300.

Isabirye-Basuta, G.M. & Lwanga, J.S. (2008) Primate populations and their interactions with changing habitats. *International Journal of Primatology* 29: 35-48.

Julliot, C. 1996. Seed dispersal by red howling monkeys (*Alouatta seniculus*) in the tropical rain forest of French Guiana. *International Journal of Primatology*. 17, 239-258.

Lehman, S.M. (2000) Primate community structure in Guyana: A biogeographic analysis. *International Journal of Primatology* 21 (3): 333-351.

Lehman, S.M. (2004) Distributions and diversity of primates in Guyana: Species area relationships and riverine barriers. *International Journal of Primatology* 25 (1): 73-95.

Palacios, E. & Rodriguez, A. (2001) Ranging pattern and use of space in a group of red howler monkeys (*Alouatta seniculus*) in a Southeastern Colombian rainforest *American Journal of Primatology* 55: 233-251

Peres, C.A. (1999) General guidelines for standardizing line-transect surveys of tropical forest primates. *Neotropical Primates* 7: 11-16.

Stone, A.I. (2007) Responses of squirrel monkeys to seasonal changes in food availability in an eastern Amazonian forest. *American Journal of Primatology* 69: 142-157

Warner, M.D. (2002) Assessing habitat utilization by Neotropical primates: A new approach. *Primates* 43: 59-71

How can standardised wildlife surveys be used to effectively monitor changes in forest community dynamics?

Bicknell, J. & Peres, C.A. (2010) Vertebrate population responses to reduced-impact logging in a neotropical forest. *Forest Ecology and Management*. 259, 2267-2275.

Bierregaard, R.O., Lovejoy, T.E., Stouffer, P.c. & Strong, C. (2006) Long-term landscape change and bird abundance in Amazonian rainforest fragments. *Conservation Biology* 20: 1212-1223.

Bodie, J.R., Semlitsch, R.D. & Renken, R.D. (2000) Diversity and structure of turtle assemblages: associations with wetland characters across a floodplain landscape *Ecography* 23: 444-456

Brazaitis, P., Rebelo, G.H., and Yamashita, C. 1996. The status of *Caiman crocodilus crocodilus* and *Melanosuchus niger* populations in the Amazonian regions of Brazil. *Amphibia-Reptilia*. 17: 377-385.

Brightsmith, D.J. (2005) Parrot nesting in Southeastern Peru: Seasonal patterns and keystone trees. *The Wilson Bulletin* 117: 296-305

Buckland, S.T., Anderson, D.R., Burnham, K.P., Laake, J.L., Borchers, D.L. & Thomas, L. (2001) *Introduction to Distance Sampling: Estimating the Abundance of Biological Populations*. Oxford University Press Inc. New York.

Burhans, D.E., Root, B. & Thompson F.R. (2002) Effects of point count protocol on bird abundance and variability: Estimates and power to detect population trends. *Journal of Field Ornithology* 73: 141-150.

Carter, S.K. & Rosas F.C.W. (1997) Biology and conservation of the Giant Otter *Pteronura brasiliensis*. *Mammal Review* 27: 1-26.

Donnelly, M. A., Chen, M. H. & Watkins, G. G. 2005. Sampling amphibians and reptiles in the Iwokrama Forest ecosystem. *Proceedings of the Academy of Natural Sciences of Philadelphia*. 154, 55-69.

Fabara, J., Jorgenson, J.P., Karubian, J., Romo, D., Smith, T.B. & Yunes, D. (2005) Temporal and spatial patterns of macaw abundance in the Ecuadorian Amazon. *The Condor* 107: 617-626.

Hockey PAR & Curtis OE (2009) Use of basic biological information for rapid prediction of the response of species to habitat loss. *Conservation Biology* 23: 64-71.

- Lim, B.K., A. Townsend Peterson, and M.D. Engstrom. 2002. Robustness of ecological niche modeling algorithms for mammals in Guyana. *Biodiversity and Conservation* 11: 1237-1246.
- Magnusson, W.E. (1983) Size estimates of crocodylians. *Journal of Herpetology* 17: 86-88.
- Noonan, B.P. and M.B. Harvey. 2000. A new species of glass frog (Anura: Centrolenidae) from the highlands of Guyana. *Herpetologica* 56(3): 294-302.
- Renton, K. (2002) Seasonal variation in occurrence of macaws along a rainforest river. *Journal of Field Ornithology* 73: 15-19.
- Rosas F.C.W., Zuanon, J.A.S. & Carter, S.K. (1999) Feeding ecology of the giant otter, *Pteronura brasiliensis*. *Biotropica* 31: 502-506 .
- de Thoisy, B., Brosse, S. & Dubois, M. (2008). Assessment of large vertebrate species richness and relative abundance in Neotropical forest using line-transect census: What is the minimal effort required? *Biodiversity and Conservation* 17: 2627-2644.